

TeleEye IP-based HD Video Surveillance Solutions & DVRs



TeleEye **MQ200 Series HD Network Cameras**

mq

Common Features :

- * HD 1080p, 30fps
- * 2MP
- * 1/2.8" Sony CMOS sensor
- * Dual Compression: H.264 and JPEG
- * Electronic shutter: Auto / Manual
- * WDR

HD 1080p H.264 ONVIF Profile S

TeleEye **MP200 & 600 Series HD Network Cameras**

mp

Common Features :

- * H.264 Video Compression
- * HD 1080p, 25/30fps
- * 2 Independent Video Streams
- * True Day & Night Operation

H.264 HD 1080p

TeleEye **MQ200 Series HD Network Cameras**

mx

Common Features :

- * HD 1080p, 25/30fps
- * 1/2.8" Sony CMOS sensor
- * HD SMAC-M & H.264
- * 4 independent video streams
- * Hacker Resistant * Auto WDR function
- * ONVIF Mode * PoE - IEEE 802.3af
- * Low light performance * Public access mode * ONVIF * 4 Privacy Masks

SMAC-M H.264 ONVIF Profile S

TeleEye MQ210E-HD Fixed Dome

- * 1080p HD Network Dome Camera,
- * 1/2.8" CMOS Sensor,
- * H.264 & JPEG Compression,
- * f=3.6mm,
- * Day / Night, 0.05 Lux,
- * IP65,
- * Vandal Resistant,
- * ONVIF Profile S,
- * PoE,
- * 12V DC

612020 MQ-210E-HD.....US\$ 153.50

TeleEye MP276E-HD IR Vari-Focal Long Range Camera

- * 1080p long range HD IR vari-focal camera
- * 1/2.8" CMOS sensor, 30fps
- * H.264 compression
- * 2 independent video streams
- * f=9-22mm vari-focal lens
- * 40-50m IR illumination range
- * IP66 weather proof
- * Power over Ethernet
- * True day & night operation with auto IR-cut filter

611360 MP-276E-HDUS\$ 437.40

TeleEye MX110E-HD Compact Fixed Dome

- * HD 1080p fixed dome
- * 1/2.8" Sony Exmor CMOS sensor, 30fps
- * f=4.2mm fixed iris lens
- * 0.1 Lux @ F1.0
- * HD SMAC-M and H.264 dual compression
- * 4 independent video streams
- * ONVIF Profile S
- * Plus MX100 series common features

611365 MX110E-HDUS\$ 437.40

TeleEye MQ211-HD Vandal resistant Vari-focal Dome

- * 1080p HD Network Dome Camera,
- * 1/2.8" CMOS Sensor,
- * H.264 & JPEG Compression,
- * f=2.8-12mm,
- * Day / Night, 0.05 Lux,
- * Vandal Resistant,
- * ONVIF Profile S,
- * 12V DC

612021 MQ-211E-HD.....US\$ 385.80

TeleEye MP687-HD 1080p IR Speed Dome

- * 1080p HD IR Speed Dome Camera
- * 1/3" Progressive CMOS sensor, 25/30fps
- * H.264 compression
- * Optical zoom: 20x
- * ~100m IR illumination range
- * Day / Night mode
- * IP66 weather proof
- * Presents, Patrols, Patterns

611361 MP-687-HD.....US\$2,192.30

TeleEye MX121E-HD IR Fixed Dome

- * 1080p IR HD Dome
- * 1/2.8" Sony Exmor CMOS sensor, 30fps
- * f=4.2mm fixed iris lens (6mm lens optional)
- * ~10m illumination range
- * IP66 weather proof and vandal resistant
- * HD SMAC-M and H.264 dual compression
- * 4 independent video streams
- * ONVIF Profile S
- * Bi-directional audio support, relay switch
- * Plus MX100 series common features

611366 MX121E-HD.....US\$ 514.80

TeleEye MQ225E-HD IR Vandal resistant Vari-focal Dome

- * 1080p HD Network Dome Camera,
- * 1/2.8" CMOS Sensor,
- * H.264 & JPEG Compression,
- * f=2.8-12mm,
- * Day / Night, 0.0 Lux (IR ON),
- * ~20m IR Range,
- * IP66,
- * Vandal Resistant,
- * ONVIF Profile S,
- * PoE, * 12V DC

612022 MQ-225E-HD.....US\$ 295.50

TeleEye HD Digital Video Recorders

Faster Transmission, Longer Recording
Hacker Resistant
Securing ONVIF Cameras
BS8418

TeleEye MX125E-HD IR Vari-Focal Dome

- * 1080p IR Vari-focal Dome
- * 1/2.8" Sony Exmor CMOS sensor, 30fps
- * f=2.8-10mm Vari-focal Auto-iris IR lens
- * ~20m illumination range
- * True day & night operation w/auto IR-cut filter
- * IP66 weather proof and vandal resistant
- * HD SMAC-M and H.264 dual compression
- * 4 independent video streams
- * Bi-directional audio support, relay switch
- * Plus MX100 series common features

611367 MX125E-HD.....US\$ 579.40

TeleEye MQ231-HD Outdoor IR Fixed Dome

- * 1080p HD Network Dome Camera,
- * 1/2.8" CMOS Sensor,
- * H.264 & JPEG Compression,
- * f=3.6mm,
- * Day / Night, 0.0 Lux (IR ON),
- * ~15m IR Range,
- * IP66,
- * Vandal Resistant,
- * ONVIF Profile S,
- * 12V DC

612023 MQ-231E-HD.....US\$ 140.60

TeleEye GX680 Series HD Digital Video Recorders

TeleEye GX680 Series is a range of 4-, 9- & 16-channel digital video recorders. GX680 Series supports all 1080p and 720p MX Series HD network cameras. It also supports real-time HD recording up to the maximum frame rate of 480fps at 1080p (1920 x 1080) resolution.

GX680 Series incorporated with the HD SMAC-M multi-stream video coder for HD video is designed for Hacker Resistance. It supports TeleEye HD network cameras and other cameras in compliance with the ONVIF Profile S standard.

TeleEye MX151E-HD IR Camera

- 1080p IR HD Camera
- 1/2.8" Sony Exmor CMOS sensor, 30fps
- f=4.2mm fixed iris lens (6mm lens optional)
- ~15m illumination range
- * True day & night operation w/ auto IR-cut filter
- * IP66 weather proof
- * HD SMAC-M and H.264 dual compression
- * 4 independent video streams
- * Suitable for perimeter protection such as entrances or parking lots
- * Plus MX100 series common features

611368 MX151E-HD.....US\$ 514.8

TeleEye MQ251E-HD IR Fixed Bullet

- * 1080p HD Network Bullet Camera,
- * 1/2.8" CMOS Sensor,
- * H.264 & JPEG Compression,
- * f=3.6mm,
- * Day / Night, 0.0 Lux (IR ON),
- * ~20m IR Range,
- * IP66,
- * ONVIF Profile S,
- * PoE,
- * 12V DC

612024 MQ-251E-HD.....US\$ 192.30

TeleEye GX680 Series HD Digital Video Recorders

- * Faster Transmission, Longer Recording * Hacker Resistant
- * Securing ONVIF Cameras * BS8418

611402 **TeleEye GX684 : 4-Channel 1080p,**
Max. Recording Rate 100/120fpsUS\$1,535.50

611403 **TeleEye GX689 : 9-Channel 1080p,**
Max. Recording Rate 225/270fps\$2,180.60

611404 **TeleEye GX6816 : 16-Channel 1080p,**
Max. Recording Rate 400/480fps\$2,567.70

TeleEye MX175E-HD Outdoor IR Vari-Focal Camera

- * 1080p IR Vari-focal Camera
- * 1/2.8" Sony Exmor CMOS sensor, 30fps
- * f=4.2-10mm Vari-focal Auto-iris IR lens
- * ~20m illumination range
- * True day & night operation w/auto IR-cut filter
- * IP66 weather proof
- * HD SMAC-M and H.264 dual compression
- * 4 independent video streams
- * Plus MX100 series common features

611369 MX175E-HD.....US\$ 579.40

TeleEye MQ275E-HD IR Vari-focal Bullet

- * 1080p HD Network Bullet Camera,
- * 1/2.8" CMOS Sensor,
- * H.264 & JPEG Compression,
- * f=2.8-12mm,
- * Day / Night, 0.0 Lux (IR ON),
- * ~25m IR Range,
- * IP66,
- * ONVIF Profile S,
- * PoE,
- * 12V DC

612025 MQ-275E-HD.....US\$ 295.50

Optional Accessories for GX Series Recorders

POS License for GX and RX Series Digital Video Recorder

611421 POS-4 4-ChannelUS\$ 141.90

611422 POS-8 8-Channel\$ 271.00

611423 POS-12 12-Channel\$ 374.20

611424 POS-12 12-Channel\$ 477.40

611425 SPT Sniffing Printer Driver\$ 100.60

SATA 3.5" HDD for GX / RX Series Digital Video Recorder

611409 2000GB\$ 127.70

611410 3000GB\$ 169.80

611411 4000GB\$ 268.60

TeleEye MX163E-HD Day & Night Box Camera

- * 1080p HD Network Box Camera,
- * 1/2.8" Sony Exmor CMOS,
- * Dual Compression,
- * f=2.8-8mm / 8-50mm, 0.1 Lux @ F1.0,
- * True day & night operation w/auto IR-cut filter
- * IP66 weather proof
- * HD SMAC-M and H.264 dual compression
- * 4 independent video streams
- * Plus MX100 series common features

611371 MX163E-HD-S : f=2.8-8mm.....US\$ 618.10

611372 MX163E-HD-T : f= 8-50mm.....\$ 798.70



TeleEye VN200 Series 3MP Network Video Recorders

TeleEye VN Series HD DVRs of 8 channel and 16 channel DVRs with up to 3MP, supports up to 400/ 480fps with H.264 video compression format.

This series is designed to provide the best performance and greatest system flexibility for different IP video surveillance applications and industry sectors, such as the financial, retail, transportation and government sectors.

TeleEye VN200 Series 3MP Network Video Recorders

* Excellent Quality Video : Up to 3MP * Prolonged Recording Storage
* ONVIF Conformance * Unified Video Management Platform

- # 611457 **TeleEye VN208 : 8-Channel 3MP HD**
Max. Recording Rate 200/240fps, 2 x SATAUS\$ 308.40
- # 611458 **TeleEye VN216 : 16-Channel 3MP HD**
Max. Recording Rate 400/480fps, 2 x SATA\$ 424.50
- # 611459 **TeleEye VN316 : 16-Channel 3MP HD**
Max. Recording Rate 400/480fps, 8 x SATA\$ 743.20



TeleEye Analogue HD Solutions consist of the AF Series of bullet and dome cameras with full HD 1080p resolution (1280 x 1080 pixels). TeleEye AH Series comprise of bullets and domes cameras, generating video quality at HD 720p resolution (1280 x 720 pixels).

Based on TeleEye's Analogue HD technology, the TeleEye AHD cameras can transmit video signal through a coaxial cable up to 400 meters' long which allow users to monitor a much greater distance.



TeleEye AF294 1080p IR Dome Camera

- * 1080p AHD IR Dome
- * 1/ 2.8" SONY CMOS Sensor
- * Wide Dynamic Range
- * Vari-focal f=3.6mm
- * Day / Night 0.0 Lux (IR On)
- * 24 IR LEDs / ~ 15m IR Range
- * 4 Privacy Masks
- * IP66 Weather Proof Standard
- * Video Coaxial or UTP Distance up to 400m
- * OSD Menu



611478 AF294-1080pUS\$ 83.90

TeleEye AF266 1080p IR Vandal Resistant Dome Camera

- * 1080p AHD IR Vandal Resistant Dome Camera
- * 1/ 2.8" SONY CMOS Sensor
- * Wide Dynamic Range
- * Vari-focal f=2.8-12mm
- * Day / Night 0.0 Lux (IR On)
- * 18 IR LEDs / ~ 15m IR Range
- * 4 Privacy Masks
- * IP66 Weather Proof Standard
- * Video Coaxial or UTP Distance up to 400m
- * OSD Menu



611479 AF266-1080pUS\$ 130.30

TeleEye AF284 1080p IR Water-proof Bullet Camera

- * 1080p AHD IR Water-proof Bullet Camera
- * 1/ 2.8" SONY CMOS Sensor
- * Wide Dynamic Range
- * Fixed lens f=3.6mm
- * Day / Night 0.0 Lux (IR On)
- * 2 IR LEDs / ~ 20m IR Range
- * 4 Privacy Masks
- * IP66 Weather Proof Standard
- * Video Coaxial or UTP Distance up to 400m
- * OSD Menu



611480 AF284-1080pUS\$ 98.10

TeleEye AF287 1080p IR Water-proof Bullet Camera

- * 1080p AHD IR Water-proof Bullet Camera
- * 1/ 2.8" SONY CMOS Sensor
- * Wide Dynamic Range
- * Vari-focal f=2.8-12mm
- * Day / Night 0.0 Lux (IR On)
- * 2 IR LEDs / ~ 30m IR Range
- * 4 Privacy Masks
- * IP66 Weather Proof Standard
- * Video Coaxial or UTP Distance up to 400m
- * OSD Menu



611481 AF287-1080pUS\$ 120.00

TeleEye AF487M 1080p IR Water-proof Bullet Camera

- * 1080p AHD IR Water-proof Bullet Camera
- * 1/ 2.8" SONY CMOS Sensor
- * Wide Dynamic Range
- * Vari-focal f=6-22mm
- * Day / Night 0.0 Lux (IR On)
- * 2 IR LEDs / ~ 50m IR Range
- * 4 Privacy Masks
- * IP66 Weather Proof Standard
- * Video Coaxial or UTP Distance up to 400m
- * OSD Menu



611482 AF487M-1080pUS\$ 170.30

TeleEye AF42M 1080p IR Long Range Camera

- * 1080p AHD IR Water-proof Bullet Camera
- * 1/ 2.8" SONY CMOS Sensor
- * Wide Dynamic Range
- * Vari-focal f=6-22mm
- * Day / Night 0.0 Lux (IR On)
- * 100m IR Range
- * 4 Privacy Masks
- * IP66 Weather Proof Standard
- * Video Coaxial or UTP Distance up to 400m
- * OSD Menu



611483 AF42M-1080pUS\$ 238.70



TeleEye JN6 Series 1080p AHD DVRs

TeleEye JN6 Series is a range of 4-, 8- & 16- channel AHD 1080p digital video recorders which support recording at 1080p HD Resolution. These DVRs support real-time HD recording up to the maximum frame rate of 12/15fps per channel at 1080p (1920 x 1080) or 25/30fps per channel at 720p resolution (1280 x 720). With H.264 compression, the JN6 Series is designed to fulfil all general video surveillance requirements.

These AHD 1080p DVRs support analogue, TeleEye MP and MQ cameras, providing an economical option for those who are considering a transition from analogue to IP at a later period in time

TeleEye JN6 Series 1080p AHD Digital Video Recorder

* Simplest Way for Upgrade to HD * Supported by TeleEye Software
* HD 1080p * H.264 Compression * Hybrid

- # 611486 **TeleEye JN6204 : 4-Video**
Max. Recording: 100/120fps @720p,50/60fps@1080p
1 x SATA Interface.....US\$ 205.20
- # 611487 **TeleEye JN6208 : 8-Video**
Max. Recording: 200/240fps@720p,100/120fps@1080p
1 x SATA Interface.....US\$ 308.40

TeleEye JN6 Series 1080p AHD Digital Video Recorder

* Simplest Way for Upgrade to HD * Supported by TeleEye Software
* HD 1080p * H.264 Compression * Hybrid

- # 611488 **TeleEye JN6216 : 16-Video**
Max. Recording: 400/480fps@720p,200/240fps@1080p
2 x SATA Interface.....US\$ 579.40
- # 611489 **TeleEye JN6316 : 16-Video**
Max. Recording: 400/480fps@720p,200/240fps@1080p
8 x SATA Interface.....US\$1,277.40



TeleEye sureREC Series PC-Base HD Video Recorder

The Windows-based TeleEye sureREC HD Recorder is designed for projects requiring video data running through existing networking facility. It supports recording of 32 TeleEye MX and ONVIF IP cameras at a maximum recording frame rate of 800 fps at HD resolution. It is basically a PC-based platform preinstalled with sureREC recording software and pre-configured with the Windows' Group Policy to restrict unnecessary access of the system and ensure the best environment for professional recording applications.

TeleEye sureREC Series HD Video Recorder

* HD Resolution: 1080p & 720p * RAID 5 support with external NAS
* Optional video analytic functions * Support ONVIF cameras

- # 611463 **TeleEye sureREC-HDR-16 16-Channel**
Windows-based ,Max. Recording Rate 400/480fps ..US\$2,825.80
- # 611464 **TeleEye sureREC-HDR-32 32-Channel**
Windows-based ,Max. Recording Rate 800/960fps\$3,341.90
- # 611465 **TeleEye sureREC-HDR-64 64-Channel**
Windows-based ,Max. Recording Rate 1600/1920fps ...\$3,729.00

Optional Accessories for sureREC Series Recorder

- Network Attached Storage, RAID 5 for sureREC HD Recorder**
- # 611469 **NAS-8 8-Bay**US\$2,541.90
- # 611469 **NAS-12 12-Bay**.....\$3,819.40
- SATA HDD for RAID Storage for sureREC HD Recorder**
- # 611471 **HDS3000GB 3000GB**.....\$ 339.10
- # 611472 **HDS4000GB 4000GB**.....\$ 463.00

Optional Accessories

- SATA 3.5" HDD for JN Series Digital Video Recorder**
- # 611409 **2000GB**US\$ 127.70
- # 611410 **3000GB**.....\$ 169.80
- # 611411 **4000GB**.....\$ 268.60

TeleEye SD Analogue Cameras

TeleEye continuously develops high performance video camera for supporting legacy video surveillance systems. The CCTV security cameras include fixed dome, IR dome, IR camera, box camera, speed dome and integrated positioning models.



TeleEye DM665 33X Hi-Resolution IR Speed Dome

- * 1/4" CCD
- * Powerful 396X zoom ; Optical : 33X, Digital : 12X
- * Resolution : 550 (Day) / 680 (Night) TVL
- * 255 presets, 6 patrols, 4 patterns
- * IR Distance: 100m
- * IP66 weather proof standard
- * OSD menu
- * Wiper



611506 DM665US\$ 954.80

TeleEye DM699 36X Hi-Resolution IR Speed Dome

- * 1/4" Sony CCD
- * Powerful 432X zoom ; Optical : 36X, Digital : 12X
- * Resolution: 480 (Day) / 550 (Night) TVL
- * 255 presets, 6 patrols, 4 patterns
- * IR Distance: 100m
- * IP66 weather proof standard
- * OSD menu
- * Wiper



611507 DM665US\$1,109.70

TeleEye Accessories for DM655/699

- # 611512 **TeleEye DM-KB05 DM Keyboard with Joystick**
For DM665 and DM699.....US\$ 283.90
- # 611510 **TeleEye DM6-PL Pole Mount Bracket**
For DM665 and DM699.....\$ 50.30
- # 611511 **TeleEye DM6-CN Corner Mount Bracket**
For DM665 and DM699.....\$ 50.30





Standard Definition Video Surveillance Solution

- Ultra high resolution
- Real-time recorders and servers
- Hacker resistant
- BS 8418 compliant
- Wide-range cameras selection
- Dual Compressions: SMAC-M and H.264



RX Series Video Recording Server



JN Series Digital Video Recorders

- * 700TVL
- * H.264 Compression
- * Max. Recording Rate 400/480fps
- * Up to 8 SATA HDD

TeleEye DF108X Fixed Dome Camera

- * 1/3" Sony Super HAD II CCD
- * Ultra High Resolution
- * 700 TVL ISP
- * f=3.6mm Lens
- * 0.1 Lux / F1.2
- * 72mm compact dome size
- * Metal casing



611507 DF108XUS\$ 58.10

TeleEye RX800 series Professional Ultra-high Resolution Digital Video Recorders

TeleEye RX800 Series is a range of 6-, 12- & 16-channel ultra high resolution digital video recorders designed for professional video and event management applications. With its state-of-the-art video compression engine supporting dual compression algorithms, it delivers both video streaming and recording performances with truly "no compromise" approach.



TeleEye JN series Digital Video Recorders

- * 700TVL
- * H.264 Compression
- * Max. Recording Rate 400/480fps
- * Up to 8 SATA HDD

TeleEye JN series Digital Video Recorders

611535 TeleEye JN308X : 8-Channel
Max. Recording Rate 200/240fps, 8 SATA Interface\$ 643.90

611535 TeleEye JN316X : 16-Channel
Max. Recording Rate 400/480fps, 8 SATA Interface\$ 772.90

TeleEye DF109X Vari-Focal Dome Camera

- * 1/3" CCD
- * Auto-iris,
- * f=2.8-12mm Lens
- * Hi-Resolution : 700TV Lines
- * 0.1 Lux Sensitivity
- * OSD,
- * Back Light Compensation
- * 12V DC (AC Adaptor not Included)



611517 DF109XUS\$ 86.50

TeleEye RX800 series Professional Ultra-high Resolution Digital Video Recorders

611436 TeleEye RX806 : 6-Channel
Max. Recording Rate 150 / 180fps, 4 Internal SATA, BS 8418 CompliantUS\$1,277.40

611437 TeleEye RX812 : 12-Channel
Max. Recording Rate 300 / 360fps, 4 Internal SATA, BS 8418 Compliant\$1,793.50

611438 TeleEye RX816 : 16-Channel
Max. Recording Rate 400 / 480fps, 4 Internal SATA, BS 8418 Compliant\$2,309.70

Optional Accessories for JN Series

LTV-8A Video Loop-through Cables for RX800 / JN300X Series
611444 TeleEye LTV-8A (Channels 1-8)\$ 21.90

LTV-8B Video Loop-through Cables for RX800 / JN300X Series
611443 TeleEye LTV-8A (Channels 9-16)\$ 21.90

SATA 3.5" HDD for JN Series Digital Video Recorder
611409 2000GBUS\$ 127.70

611410 3000GB\$ 169.80

611411 4000GB\$ 268.60

TeleEye DF291X IR Dome Camera

- * 1/3" Sony Super HAD II CCD
- * Ultra High Resolution
- * 700 TVL ISP
- * f= 3.6mm
- * Day / Night 0.1 / 0.0 Lux
- * 6 IR LEDs / ~5m Range
- * IP66 Weather Proof Standard



611518 DF291XUS\$ 56.80

Optional Accessories for RX Series Recorders

19" Rack Mounting Bracket for GX and RX Series Recorder
611408 TeleEye GX-BKT\$ 161.30

RX-ALM Alarm Break-Out Box for RX Digital Video Recorders
611442 TeleEye RX-ALM\$ 23.20

RX-KB03 RX & DM Keyboard with Joystick
611443 TeleEye RX-KB03\$ 514.80

LTV-8A Video Loop-through Cables for RX800 / JN300X Series
611444 TeleEye LTV-8A (Channels 1-8)\$ 21.90

LTV-8B Video Loop-through Cables for RX800 / JN300X Series
611443 TeleEye LTV-8A (Channels 9-16)\$ 21.90

AIC-16 16-Channel Audio Cable for RX800 Series
611443 TeleEye AIC-16\$ 21.90

Gigabyte PoE Switch for RX800 Series Video Recorder
611412 NS04P 4-Port\$ 108.40

611413 NS08P 8-Port\$ 274.10

611414 NS016P 16-Port\$ 534.20

611415 NS024SP 24-Port\$1,144.30

TeleEye Video Management Applications and Accessories



--- SureSIGHT --- SureGUARD --- iView HD --- siteMAP ---

TeleEye DF294X IR Dome Camera

- * 1/3" Sony Super HAD II CCD
- * Hi-Resolution: 700 TVL
- * f= 3.6mm
- * 0.0 Lux
- * 24 IR LEDs / ~15m IR range
- * IP66 Weather Proof Standard



611519 DF294XUS\$ 63.20

TeleEye RX538 series Mobile Digital Video Recorders



TeleEye RX538, a high performing mobile digital video recorder which is specifically designed for vehicle security and fleet management. The RX538 incorporates the TeleEye SMAC-M video coding technology, achieves a maximum recording frame rates of up to 200 / 240 fps with fast video transmission. It is ideal for any mobile or remote applications where low latency and unreachable fixed networks are a concern.

TeleEye RX538 Ultra-high Resolution Mobile Digital Video Recorders

- * Maximum resolution: 960 x 576 (PAL), 960 x 480 (NTSC)
- * Real time recording up to 200/240fps
- * Connect up to eight cameras and 16 alarm inputs
- * Hacker Resistant technology with 5 layers of protection
- * Remote video surveillance on 3G & 4G network
- * Automated digital recording initiated by the vehicle's ignition
- * Dual Compression: SMAC-M & H.264
- * Playback & video extraction via wi-Fi
- * BS8418 compliant for professional alarm verification
- * Supports up to 2x 2.5" SATA HDDs
- * Compatibility to sureSIGHT, sureGUARD and iView HD

611449 TeleEye RX538 8-Channel
Max. Recording Rate 200/240fps, Remote Viewing, BS 8418 CompliantUS\$ 951.40

Optional Accessories for RX538

611452 2.5" Hard Disk 1000GBUS\$ 105.30

611453 TeleEye AR307-3G 3G Router\$1,223.20

TeleEye sureSIGHT Integrated Video Management Platform

611543 TeleEye sureSIGHT Business Standalone Integrated Video Management SoftwareUS\$ 490.30

611544 TeleEye sureSIGHT Pro Unlimited-site Integrated Video Management Software\$ 619.40

611545 TeleEye SMAP Sitemap Management Module\$ 374.20

611546 TeleEye SSTSC End to End Site Check Module\$ 256.80

611547 TeleEye SMTX Digital Video Matrix Module for sureSIGHT Pro\$ 619.40

611548 TeleEye ONVIF-4-SSB 4-Channel ONVIF Camera Module for sureSIGHT Business\$ 632.30

611549 TeleEye ONVIF-4-SSP 4-Channel ONVIF Camera Module for sureSIGHT Pro\$1,058.10

611550 TeleEye VCA-FA-1-SSB 1-Channel Flow Analysis Module for sureSIGHT Business\$ 503.20

611551 TeleEye VCA-FA-4-SSB 4-Channel Flow Analysis Module for sureSIGHT Business\$ 809.30

611552 TeleEye VCA-IT-1-SSB 1-Channel Intrusion Detection Module for sureSIGHT Business\$ 709.70

611553 TeleEye VCA-IT-4-SSB 4-Channel Intrusion Detection Module for sureSIGHT Business\$1,264.50

611554 TeleEye VCA-LT-1-SSB 1-Channel Loitering Detection Module for sureSIGHT Business\$ 709.70

611555 TeleEye VCA-LT-4-SSB 4-Channel Loitering Detection Module for sureSIGHT Business\$1,264.50

TeleEye sureSIGHT Integrated Video Management Platform

611556 TeleEye VCA-UM-1-SSB 1-Channel Unattended / Missing Object Detection Module for sureSIGHT BusinessUS\$ 709.70

611557 TeleEye VCA-UM-4-SSB 4-Channel Unattended / Missing Object Detection Module for sureSIGHT Business\$1,264.50

TeleEye DF266X IR Dome Camera

- * 1/3" Sony Super HAD II CCD
- * Ultra High Resolution * 700 TVL ISP
- * Wide Dynamic Range
- * Vari-focal f=2.8-12mm
- * Auto-iris Lens
- * Day/Night 0.0 Lux (IR ON)
- * Auto IR-cut Filter
- * 18 IR LEDs / ~10m Range
- * 8 Privacy masks
- * Vandal resistant * IP66 * OSD menu



611521 DF266XUS\$127.70

TeleEye DF284X IR Dome Camera

- * 1/3" Sony Super HAD II CCD
- * Hi-Resolution: 700 TVL
- * f= 3.6mm, 68o view angle
- * 24 IR LEDs, ~15m IR range
- * 0.0 Lux (IR On)
- * IP66 Weather Proof Standard



611522 DF284XUS\$ 67.10

TeleEye SF037X Pinhole Camera

- * 1/3" CCD
- * f=3.7mm,
- * Hi-Resolution : 700TVL,
- * 0.1 Lux,
- * 12V DC (AC Adaptor not Included)



611525 SF037XUS\$ 60.60